

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/>			5. LEASE DESIGNATION AND SERIAL NO. U-36442	
b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR Wildrose Resources Corporation			7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR 2555 Cherryridge Road, Englewood, CO 80110			8. FARM OR LEASE NAME Federal	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)* At surface 2113' FSL & 1844' FWL At proposed prod. zone Same			9. WELL NO. 23-26	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*			10. FIELD AND POOL, OR WILDCAT ⁵⁹⁰ Eight Mile Flat North	
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 900'			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 26, T8S, R18E, SLM	
16. NO. OF ACRES IN LEASE 1447.3			12. COUNTY OR PARISH Uintah	
17. NO. OF ACRES ASSIGNED TO THIS WELL 40			13. STATE Utah	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 3100'			19. PROPOSED DEPTH 6,200' GRRV	
20. ROTARY OR CABLE TOOLS Rotary			22. APPROX. DATE WORK WILL START* September 15, 1991	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4898' GR				

23. PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#, J-55	300'	225 SX
7-7/8"	5-1/2"	14 & 15 1/2#, J-55	6200'	1000 SX

SEE ATTACHED EXHIBITS:

- A - Surveyors Plat
- B - 10 Point Plan
- C - B.O.P. Diagram
- D - 13 Point Surface Use Program
- E - Access Road Map & Existing Wells
- F - Production Facilities
- G - Pit and Pad Layout, Cuts and Fills
- H - Cross Sections and Dirt Quantities
- I - Well Site Layout (Rig)

RECEIVED
AUG 19 1991
DIVISION OF
OIL GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Kenneth J. Kallenbach TITLE Vice President DATE August 14, 1991

(This space for Federal or State office use)

PERMIT NO. 43-047-30080 APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE 8-23-91

CONDITIONS OF APPROVAL, IF ANY: _____ BY: J. Matthews

WELL SPACING: 615-3-2

*See Instructions On Reverse Side

POWERS ELEVATION CO., INC.
P.O. Box 440689
Aurora, CO 80044
(303) 321-2217

All POWERS ELEVATION CO., INC.
elevations originate from
accepted U.S. Benchmarks





EXHIBIT A



Powers Elevation Co., Inc. of Denver, Colorado has in accordance
with a request from Kary Kaltenbacher for Wildrose Resources Corp.
determined the location of Federal 23-26


to be 2113'fsl, 1844'fwl

Section 26, Township 8S
Meridian,

Range 18E of the Uintah 1875 Principal
Uintah County, Utah

I hereby certify that this plat is an
accurate representation of a correct
survey showing the location of
Federal 23-26

Licensed Land Surveyor No. 8894
State of New Mexico



Date: August 10, 1991

EXHIBIT BTEN POINT COMPLIANCE PROGRAM OF NTL-6 APPROVAL OF OPERATIONS1. The Geologic Surface Formation

The surface formation is the Uintah (Tertiary).

2. Estimated Tops of Important Geologic Markers

Green River	1670'
Wasatch Tongue	6100'
Total Depth	6200'

3. Estimated Depths of Anticipated Water, Oil, Gas or Minerals

No water bearing zones are anticipated

Green River 4000' - 6200' Oil

4. The Proposed Casing Program

<u>HOLE</u>	<u>INTERVAL</u>	<u>LENGTH</u>	<u>SIZE(OP)</u>	<u>WEIGHT, GRADE, JOINT</u>	<u>NEW OR USED</u>
12.25"	0 - 300'	300'	8-5/8"	24# K-55 ST&C	New
7-7/8"	0 - 6200'	6200'	5-1/2"	14 & 15.50# J-55 ST&C	New

Cement Program -

Surface Casing: 225 sacks Class "G" plus 2% CaCl₂

Production Casing: 300 sacks Lite Cement and 700 sacks Class "G" with additives

5. The Operator's Minimum Specifications for Pressure Control

EXHIBIT "C" is a schematic diagram of the blowout preventer equipment. The BOP's will be hydraulically tested to half of working pressure after nipping up and after any use under pressure. Pipe rams will be operationally checked each 24 hour period, as will blind rams and annular preventer each time pipe is pulled out of the hole. Such checks of BOP will be noted on daily drilling reports.

Accessories to BOP will include an upper and lower kelly cock, floor safety valve, drill string BOP and choke manifold with pressure rating equivalent to the BOP stack.

6. The Type and Characteristics of the Proposed Circulating Muds

Mud system will be 2% KCl water with adequate stocks of sorptive agents on site to handle possible spills of fuel and oil on the surface. Heavier muds will be available to be added if pressure requires.

<u>DEPTH</u>	<u>TYPE</u>	<u>WEIGHT #/gal</u>	<u>VISCOSITY sec/qt</u>	<u>FLUID LOSS cc</u>	<u>PH</u>
0-3600'	Fresh Water	8.4 - 8.6	28 - 30	NC	--
3600-6200'	2% KCl Water	8.6 - 8.8	30 - 34	NC	9.0

7. The Auxiliary Equipment to be Used

- a) An upper and lower kelly cock will be kept in the string.
- b) A float will be used at the bit.
- c) A mud logging unit and gas detection device will be monitoring the system.
- d) A stabbing valve will be on the floor to be stabbed into the drill pipe when kelly is not in the string.

8. The Testing, Logging and Coring Programs to be Followed

- a) No Drill Stem Tests will be run.
- b) The Logging Program: Dual Induction-SFL 300' - T.D.
Formation Density-CNL 4000' - T.D.
- c) No coring is anticipated.
- d) Stimulation procedures will be determined after evaluation of logs. If treatment is indicated, appropriate Sundry Notice will be submitted for approval.

9. Any Anticipated Abnormal Pressures or Temperatures


No abnormal pressures or temperatures have been noted or reported in wells drilled in the area nor at the depths anticipated in this well. Bottom hole pressure expected is 2000 psi + or -.

No hydrogen sulfide or other hazardous fluids or gases have been found, reported or known to exist at these depths in the area.

10. Anticipated Starting Date and Duration of the Operations.

The anticipated starting date is September 15, 1991, or as soon as possible after examination and approval of drilling requirements. Operations will cover 10 days for drilling and 10 days for completion.

EXHIBIT C
BOP DIAGRAM



NOTE: BOP side outlets may be used in place of drilling spool.




EXHIBIT D

WILDROSE RESOURCES CORPORATION
FEDERAL #23-26

Thirteen Point Surface Use Program

Multipoint Requirements to Accompany APD

1. Existing Roads

- A. The proposed well site and elevation plat is shown on Exhibit A.
- B. From Fort Duchesne go south 6 miles to bridge. Go across bridge and follow Leland Bench road 9.5 miles.
- C. See Exhibit E for access roads.
- D. There are no plans for improvement of existing roads. Roads will be maintained in present condition.

2. Planned Access Roads - (Newly Constructed)

- A. Length - 600 feet.
- B. Width - 30' right of way with 18' running surface maximum.
- C. Maximum grades - 1%
- D. Turnouts - N/A
- E. Drainage design - Barrow ditches and water turnouts as required.
- F. Culverts, bridges, cuts and fills - None.
- G. Surfacing material (source) - from location and access road.
- H. Gates, cattle guards and fence cuts - None.

All travel will be confined to existing access road rights of way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

The road shall be upgraded to meet the standards of the anticipated traffic flow and all weather road requirements. Construction/ upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right of way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diversion water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

A Right of Way application is not needed.

3. Location of Existing Wells Within a 1 Mile Radius

See Exhibit E

- A. Water wells - none.
- B. Abandoned wells - two.
- C. Temporarily abandoned wells - none.
- D. Disposal wells - none.
- E. Drilling wells - none.
- F. Producing wells - eight.
- G. Shut-in wells - none.
- H. Injection wells - none.

4. Location of Existing and/or Proposed Facilities

- A. On well pad - See Exhibit F for all production facilities to be used if well is completed as a producing oil well.
- B. Off well pad - N/A

If a tank battery is constructed on this lease, the battery or the well pad will be surrounded by a dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

Tank batteries will be placed on the SW side of the location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rock Mountain Five state Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The required paint color is desert brown, 10YR.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

5. Location and Type of Water Supply

- A. Water supply will be from a permitted source.
- B. Water will be trucked across existing roads to location.
- C. No water wells to be drilled on lease.

6. Source of Construction Materials

- A. Native materials on lease will be used.
 - B. From Federal land.
 - C. N/A.
- A minerals material application is not required.

7. Methods for Handling Waste Disposal

- A.
 - 1) Drill cuttings will be buried in the reserve pit.
 - 2) Portable toilets will be provided for sewage.
 - 3) Trash and other waste material will be contained in a trash cage and hauled away to an approved disposal site

at the completion of the drilling activities.

4) Salts - if any will be disposed of.

5) Chemicals - if any will be disposed of.

B. Drilling fluids will be handled in the reserve pit. Any fluids produced during testing operations will be collected in a test tank. If a test tank is not available during drilling, fluids will be handled in the reserve pit. Any oil in the reserve pit will be removed.

Burning will not be allowed. All trash must be contained in trash cage and hauled away to an approved disposal site at the completion of drilling activities.

The reserve pit shall be constructed so as not to leak, break, or allow discharge.

The lining of the reserve pit will be determined by BLM and Wildrose after location has been built.

If a plastic nylon reinforced liner is used, it will be a minimum of 12 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed 90 days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

8. Ancillary Facilities

A. Camp facilities or airstrips will not be required.

9. Well Site Layout

A. See Exhibit G & H.

B. See Exhibit G & I.

C. See Exhibit I.

The reserve pit will be located on the SW corner.

The flare pit will be located downwind of the prevailing wind direction on the west side of the location a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled topsoil (first six inches) will be stored on the NW corner.

Access to the well pad will be from the west.

The drainage shall be diverted around the north side of the well pad location.

Fencing Requirements

All pits will be fenced according to the following minimum standards:

a. 39-inch net wire shall be used with at least one strand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).

b. The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.

c. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

d. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.

e. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

10. Plans for Restoration of Surfaces

A. Producing Location:

Immediately upon well completion, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 120 days from the date of well completion. Before any dirt work takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc., will be removed.

The BLM will be contacted for required seed mixture.

B. Dry Hole/ Abandoned Location:

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

11. Surface Ownership

Access Road: Federal
Location: Federal

12. Other Additional Information

A. The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:

- Whether the materials appear eligible for the National Register of Historic Places;

- The mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and

- A time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for

mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

B. The operator will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.

C. Drilling rigs and/or equipment used during drilling operations on this wellsite will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

13. Lessee's or Operators Representative and Certification Representative

Kary J. Kaltenbacher
Wildrose Resources Corporation
2555 Cherryridge Road
Englewood, CO 80110
Telephone: 303-761-9831

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his sub-contractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A complete copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

The operator or his/her contractor shall contact the BLM Office at (801) 789-1362 forty eight (48) hours prior to construction activities.

The BLM Office shall be notified upon site completion prior to moving on the drilling rig.

Self-Certification Statement:


Please be advised that Wildrose Resources Corporation is considered to be the operator of Federal Well No. 23-26, NE/4 SW/4 of Section 26, Township 8 South, Range 18 East; Lease Number U-36442; Uintah County, Utah; and is responsible for the operations conducted upon the leased lands. Bond coverage is provided by Statewide Oil and Gas Bond No. 229352, Allied Mutual Insurance Company, approved by the BLM effective October 26, 1987.

Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and, that the work associated with the operations proposed here will be performed by Wildrose Resources Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Date

8/14/91


Kary J. Kaltenbacher
Vice President

Onsite Date: August 10, 1991

Participants on Joint Inspection

Kary J. Kaltenbacher
Ralph Brown

Wildrose Resources Corporation
BLM

EXHIBIT E

Existing Road

New Access Road

Abandoned Well

Producing Well

To Fort Duchesne

1 mile radius

Federal #23-26

pariet

Draw

To myton







EXHIBIT F
PRODUCTION FACILITIES
SCALE: 1" = 40'





Powers Elevation Co., Inc. 4900.4'
200' North

P.O. Box 440889, Aurora, CO 80044
Phone 303-321-2217
Toll Free 1-800-824-2550
FAX 303-321-2217

Wildrose Resources Corp
Federal 23-26
Section 26, T.8S, R.18E
2113' fs1, 1844' fw1
Uintah County, Utah

**PIT & PAD LAYOUT
CUTS & FILLS**

Access Road



Scale: 1"=50'

Top soil stockpile 3

C3.2

C2.2

Direct run off
around pad

C3.2

Scale: 1"=50'

Reserve Pit
5' deep

Pit dirt stockpile

Existing Drainage


200' South
4892.4'

EXHIBIT G



CROSS SECTIONS AND
DIRT QUANTITIES

Wildrose Resources Corp
Federal 23-26
Section 26, T.8S, R.18E
2113' fsl, 1844' fw1
Uintah County, Utah

Scale:
Horizontal: 1"=50'
Vertical: 1"=10'



Pad cut	5007 cu yds
Pad fill	1075 cu yds
Pit cut	1389 cu yds
Top soil	2388 cu yds






EXHIBIT I
WELL SITE LAYOUT
SCALE: 1" = 40'

OPERATOR Indrose Resources Corp N-9660 DATE 8-21-91


WELL NAME Redual 023-016

SEC NESW 016 T 8S R 18E COUNTY Montan


43-047-30080
API NUMBER

Redual (1)
TYPE OF LEASE

CHECK OFF:




PLAT.




BOND



NEAREST
WELL



LEASE



FIELD
SLBM



POTASH OR
OIL SHALE

PROCESSING COMMENTS:

No other producing wells within Dec 016
water permit

APPROVAL LETTER:

SPACING:




R615-2-3

N/A
UNIT



R615-3-2



N/A
CAUSE NO. & DATE



R615-3-3

STIPULATIONS:

1-water permit needed

CONFIDENTIAL
PERIOD
EXPIRED
ON 11-18-92



State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Norman H. Bangerter
Governor

Dee C. Hansen
Executive Director

Dianne R. Nielson, Ph.D.
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340

August 23, 1991

Wildrose Resources Corporation
2555 Cherryridge Road
Englewood, Colorado 80110

Gentlemen:

Re: Federal #23-26 Well, 2113 feet from the South line, 1844 feet from the West line, NE SW, Section 26, Township 8 South, Range 18 East, Uintah County, Utah

Approval to drill the referenced well is hereby granted in accordance with Utah Admin. R.615-3-2, subject to the following stipulation:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water as required by Utah Code Ann. Section 73-3, Appropriation.

In addition, the following actions are necessary to fully comply with this approval:


1. Spudding notification within 24 hours after drilling operations commence.
2. Submittal of Entity Action Form 6, within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
3. Submittal of the Report of Water Encountered During Drilling, Form 7.
4. Prompt notification in the event it is necessary to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801) 538-5340, (Home) (801) 476-8613, or R. J. Firth, Associate Director, (Home) (801) 571-6068.
5. Compliance with the requirements of Utah Admin. R.615-3-20, Gas Flaring or Venting.

Page 2
Wildrose Resources Corporation
Federal #23-26
August 23, 1991

6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (801) 538-6159.
7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-32080.

Sincerely,



R. J. Elth
Associate Director, Oil & Gas

tas
Enclosures
cc: Bureau of Land Management
J. L. Thompson
we14/1-25

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/>			5. LEASE DESIGNATION AND SERIAL NO. U-36442	
b. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR Wildrose Resources Corporation			7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR 2555 Cherryridge Road, Englewood, CO 80110			8. FARM OR LEASE NAME Federal	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)* At surface 2113' FSL & 1844' FWL At proposed prod. zone Same			9. WELL NO. 23-26 NESW	
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 43-047-32080			10. FIELD AND POOL, OR WILDCAT Eight Mile Flat North	
16. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drilg. unit line, if any) 900'			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 26, T8S, R18E, SLM	
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 3100'			12. COUNTY OR PARISH Uintah	
19. PROPOSED DEPTH 6,200'			13. STATE Utah	
20. ROTARY OR CABLE TOOLS Rotary			17. NO. OF ACRES ASSIGNED TO THIS WELL 40	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4898' GR			22. APPROX. DATE WORK WILL START* September 15, 1991	

PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24#, J-55	300'	225 SX
7-7/8"	5-1/2"	14 & 15 1/2#, J-55	6200'	1000 SX

SEE ATTACHED EXHIBITS:

- A - Surveyors Plat
- B - 10 Point Plan
- C - B.O.P. Diagram
- D - 13 Point Surface Use Program
- E - Access Road Map & Existing Wells
- F - Production Facilities
- G - Pit and Pad Layout, Cuts and Fills
- H - Cross Sections and Dirt Quantities
- I - Well Site Layout (Rig)

RECEIVED

SEP 11 1991

DIVISION OF
OIL GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Kary J. Kattenberg TITLE Vice President DATE August 14, 1991

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY [Signature] TITLE ASSISTANT DISTRICT MANAGER MINERALS DATE SEP 06 1991

CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACH TO OPERATOR'S COPY

*See Instructions On Reverse Side

CONDITIONS OF APPROVAL
FOR APPLICATION FOR PERMIT TO DRILL

Company/Operator: WILDROSE
Well Name & Number: 23-26
Lease Number: U-36442
Location: NESW Sec. 26 T. 8S R. 18E
Surface Ownership: Federal

NOTIFICATION REQUIREMENTS

- Location Construction - at least forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well
- Casing String and Cementing - at least twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and Related Equipment Tests - at least twenty-four (24) hours prior to initiating pressure tests.
- First Production Notice - within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

THIRTEEN POINT SURFACE USE PROGRAM:

The flare pit will be located downwind of the prevailing wind direction on the northeast side near Point 2 a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

The Vernal District Office shall be notified, at least twenty-four (24) hours prior to initiating pressure tests, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany oil shale, identified at +3086 ft.

The Vernal District Office shall be notified at least twenty-four (24) hours prior to the running and cementing of all casing strings, in order to have a BLM representative on location while running and cementing all casing strings.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the Authorized Officer. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the Authorized Officer (AO).

A cement bond log (CBL) shall be utilized to determine the top of cement (TOC) for the intermediate and production casing.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified during regular work hours (7:45 a.m. - 4:30 p.m., Monday through Friday, except holidays), at least twenty-four (24) hours PRIOR to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells, as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of thirty (30) days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the AO. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram, as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4, shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations, as specified in Onshore Oil and Gas Order No. 3, shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his/her representative or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka	(801) 781-1190
Petroleum Engineer	

Ed Forsman	(801) 789-7077
Petroleum Engineer	

BLM FAX Machine	(801) 789-3634
-----------------	----------------

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous:

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids.

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt wastes.

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation, and miscellaneous solids

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATIONNAME OF COMPANY: WILDROSE RESOURCES CORPORATIONWELL NAME: FEDERAL 23-26SECTION NE SW 26 TOWNSHIP 8S RANGE 18E COUNTY UINTAHDRILLING CONTRACTOR OLSENRIG # 7SPUDDED: DATE 9-11-91TIME 7:00 a.m.HOW Rotary

DRILLING WILL COMMENCE _____

REPORTED BY Kary KaltenbacherTELEPHONE # 303-761-9831DATE 9-16-91 SIGNED TAS

OPERATOR WILDROSE RESOURCES CORP.
ADDRESS 2555 CHERRYRIDGE ROAD
ENGLEWOOD, CO 80110

OPERATOR ACCT. NO. N 9660

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	11265	43-047-32080	Federal # 23-26	NE/SW	26	85	18E	Utah	9/11/91	
WELL 1 COMMENTS: Federal - Lease Field - 8 mile Flat North Unit - N/A Prop. Zone - GPRV (New entity 11265 added 9-18-91) fr.											

WELL 2 COMMENTS:

--	--	--	--	--	--	--	--	--	--	--	--

WELL 3 COMMENTS:

--	--	--	--	--	--	--	--	--	--	--	--

WELL 4 COMMENTS:

--	--	--	--	--	--	--	--	--	--	--	--

WELL 5 COMMENTS:

ACTION CODES (See instructions on back of form)
A - Establish new entity for new well (single well only)
B - Add new well to existing entity (group or unit well)
C - Re-assign well from one existing entity to another existing entity
D - Re-assign well from one existing entity to a new entity
E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

RECEIVED

SEP 13 1991

DIVISION OF
OIL GAS & MINING

Kay J. Kattenbeck
Signature
V.P.
Date 9/11/91

Phone No. (303) 761-9831



WILDROSE RESOURCES CORPORATION

November 29, 1991

Utah Division of Oil, Gas & Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

RECEIVED

DEC 06 1991

RE: Tight Hole
Federal #23-26 Well
Federal Lease No. U-36442

DIVISION OF
OIL GAS & MINING

42-047-32080
Sec. 26, T.8S, R 18E

Gentlemen:

Enclosed please find the Completion Report with logs for the Federal #23-26 well. Wildrose wishes to keep all information regarding this well "Tight Hole" for the allowed 15 month period.

If you have any questions regarding this request, please give me a call.

Very truly yours,
WILDROSE RESOURCES CORPORATION

Kary J. Kaltenbacher
Kary J. Kaltenbacher
Vice President

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	DRY <input type="checkbox"/>	OTHER <input type="checkbox"/>						
b. TYPE OF COMPLETION:		NEW WELL <input checked="" type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>	DIFF. RESVR. <input type="checkbox"/>	Other <input type="checkbox"/>				
2. NAME OF OPERATOR Wildrose Resources Corporation						DEC 06 1991					
3. ADDRESS OF OPERATOR 2555 Cherryridge Road, Englewood, CO 80110						DIVISION OF OIL GAS & MINING					
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements) At surface 2113' FSL & 1844' FWL (NE7SW) At top prod. interval reported below Same At total depth Same						TIGHT HOLE					
14. PERMIT NO. 43-047-22082						DATE ISSUED					
15. DATE SPUDDED 9/11/91		16. DATE T.D. REACHED 9/18/91		17. DATE COMPL. (Ready to prod.) 10/18/91		18. ELEVATIONS (OF, RKB, RT, GR, ETC.)* 4898' GR 4910' KB		19. ELEV. CASINGHEAD 4897'			
20. TOTAL DEPTH, MD & TVD 6237'		21. PLUG, BACK T.D., MD & TVD 5683'		22. IF MULTIPLE COMPL., HOW MANY* --		23. INTERVALS DRILLED BY --		ROTARY TOOLS 0' - TD			
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 5545' - 5556' Green River 4526' - 4550'								25. WAS DIRECTIONAL SURVEY MADE No			
26. TYPE ELECTRIC AND OTHER LOGS RUN ✓ DLL, FDC, CNL, CBL MUD LOG 12-6-91								27. WAS WELL CORED No			
28. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
8-5/8"		24		326'		12-1/4"		225 SX		---	
5-1/2"		15.5		5730'		7-7/8"		430 SX		---	
29. LINER RECORD										30. TUBING RECORD	
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*		SCREEN (MD)		SIZE	
N/A										2-7/8"	
										5563'	
										no	
31. PERFORATION RECORD (Interval, size and number)										32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
5545' - 5556' w/ 3 SPF (33 holes) 4526' - 4550' w/ 3 spf (72 holes) (.038" OD)										DEPTH INTERVAL (MD)	
										5545 - 56'	
										4526 - 50'	
										AMOUNT AND KIND OF MATERIAL USED	
										20,640 gal x-link gelled water + 50,700 # 20/40 sand	
										40,320 gal x-link gelled water + 85,800 # 20/40 sand	
33. PRODUCTION											
DATE FIRST PRODUCTION 10/20/91		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping - beam (2 1/2" x 1 1/2" x 16')						WELL STATUS (Producing or shut-in) Producing			
DATE OF TEST 11/14/91		HOURS TESTED 24		CHOKE SIZE --		PROD'N. FOR TEST PERIOD --		OIL—BBL. 88		GAS—MCF. 20	
FLOW. TUBING PRESS. --		CASING PRESSURE 350 psi		CALCULATED 24-HOUR RATE --		OIL—BBL. 88		GAS—MCF. 20		WATER—BBL. 0	
										OIL GRAVITY-API (CORR.) 30	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Used for fuel, vented										TEST WITNESSED BY E. Wilcken	
35. LIST OF ATTACHMENTS Logs, Daily reports											
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records											
SIGNED <u>Kary A. Katterbach</u>						TITLE <u>V.P.</u>			DATE <u>11/26/91</u>		

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				Green River	1772'	1772'
				Wasatch Tongue	6171'	6171'

38.

Adrenal 23-26



Sec 26, T8S, R18E

Kubly 1.22.92



topsoil
stockpile

bermed
production
battery




propane tank



well head



pump
jack



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached Exhibit
2. NAME OF OPERATOR: Inland Production Company <i>N5160</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1401 17th St. #1000 CITY <i>Denver</i> STATE <i>Co</i> ZIP <i>80202</i>		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE:		8. WELL NAME and NUMBER: See Attached Exhibit
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER:
COUNTY:		10. FIELD AND POOL OR WILDCAT:
STATE: <i>UTAH</i>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective 4/15/04, Inland Production Company, as Contract Operator, will take over operations of the attached referenced wells. The previous operator was:

Wildrose Resources Corporation *N9660*
3121 Cherryridge Road
Englewood, Colorado 80110-6007

Effective 4/15/04, Inland Production Company, as Contract Operator, is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under BLM Bond No. UT0056 issued by Hartford.

Attached is a list of wells included.

Previous Operator Signature:

Title:

NAME (PLEASE PRINT) <i>Marc MacAluso</i>	TITLE <i>CEO, Wildrose Resources Corporation</i>
SIGNATURE <i>[Signature]</i>	DATE <i>4/15/04</i>

(This space for State use only)

RECEIVED

APR 26 2004

(5/2000)

(See Instructions on Reverse Side)

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached Exhibit
2. NAME OF OPERATOR: Inland Production Company N5160		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 1401 17th St. #1000 CITY Denver STATE Co ZIP 80202		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH		8. WELL NAME and NUMBER: See Attached Exhibit
PHONE NUMBER: (303) 893-0102		9. API NUMBER:
		10. FIELD AND POOL OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective 4/15/04, Inland Production Company, as Contract Operator, will take over operations of the attached referenced wells. The previous operator was:

Wildrose Resources Corporation
3121 Cherryridge Road
Englewood, Colorado 80110-6007

Effective 4/15/04, Inland Production Company, as Contract Operator, is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under BLM Bond No. UT0056 issued by Hartford.

Attached is a list of wells included.

Current Contract Operator Signature:

Title:

NAME (PLEASE PRINT) Bill I. Pennington

TITLE President, Inland Production Company

SIGNATURE

Bill I. Pennington

DATE

4/15/04

(This space for State use only)

RECEIVED

APR 26 2004

DIV. OF OIL, GAS & MINING

EXHIBIT "A"
Attached to Sundry Notices

Wildrose Resources Corporation
and
Inland Production Company

Well	Comp	Env	Loc	Size	Dir	W	N	E	S	Co	Lease	Type
N 4304731528	REX LAMB 34-1	WR	4932° GR	2116 FNL 2132 FEL	34	SWNE	040S	010E	UTA	FEE		OW
N 4304731692	REX LAMB 34-2	WR	4932° GR	2018 FNL 1068 FEL	34	SENE	040S	010E	UTA	FEE		OW
N 4301331914	HARBOURTOWN FED 21-33	WR	5128° GR	0613 FNL 1938 FWL	33	NENW	080S	170E	DU	U-71368		OW
N 4301331915	HARBOURTOWN FED 42-33	WR	5128° GR	1954 FNL 0851 FEL	33	SENE	080S	170E	DU	U-71368		OW
N 4301331916	HARBOURTOWN FED 23-34	WR	5088° GR	1943 FSL 2162 FWL	34	NESW	080S	170E	DU	U-71368		OW
N 4301331917	HARBOURTOWN FED 44-34	WR	5063° GL	0835 FSL 0500 FEL	34	SESE	080S	170E	DU	U-71368		OW
N 4304732080	FEDERAL #23-26	WR	4910° KB	2113 FSL 1844 FWL	26	NESW	080S	180E	UTA	U-36442		OW
N 4304732700	FEDERAL 24-26	WR	4913° GR	0660 FSL 1980 FWL	26	SESW	080S	180E	UTA	U-36442		OW
N 4304732720	FEDERAL 13-26	WR	4903° GR	2018 FSL 0832 FWL	26	NWSW	080S	180E	UTA	U-36442		OW
N 4304732731	FEDERAL 12-26	WR	4924° GR	2956 FSL 0470 FWL	26	SWNW	080S	180E	UTA	U-36442		GW
N 4304732847	FEDERAL 34-26	WR	4907° GR	0741 FSL 1957 FEL	26	SWSE	080S	180E	UTA	U-75532		OW
N 4304732732	FEDERAL 43-27	WR	4862° GR	1917 FSL 0559 FEL	27	NESE	080S	180E	UTA	U-36442		OW
N 4304732733	FEDERAL 14-28	WR	4902° GR	0860 FSL 0846 FWL	28	SWSW	080S	180E	UTA	U-51081		OW
N 4304732743	FEDERAL 13-28	WR	4955° GR	2007 FSL 0704 FWL	28	NWSW	080S	180E	UTA	U-36442		OW
N 4304731484	PARIETTE FED 10-29	WR	4890° GR	1843 FSL 2084 FEL	29	NWSE	080S	180E	UTA	U-51081		OW
N 4304731550	W PARIETTE FED 6-29	WR	4892° GR	1978 FNL 2141 FWL	29	SENE	080S	180E	UTA	U-36846		OW
N 4304732079	FEDERAL 44-29	WR	4993° KB	0660 FSL 0660 FEL	29	SESE	080S	180E	UTA	U-51081		OW
N 4304732701	FEDERAL 43-29	WR	4886° GR	1904 FSL 0710 FEL	29	NESE	080S	180E	UTA	U-51081		OW
N 4304732742	FEDERAL 34-29	WR	4917° GR	0712 FSL 1925 FEL	29	SWSE	080S	180E	UTA	U-51081		OW
N 4304732848	PARIETTE FED 32-29	WR	4870° GR	1942 FNL 1786 FEL	29	SWNE	080S	180E	UTA	U-36846		OW
N 4304731118	NGC ST 33-32	WR	4930° GR	1914 FSL 1911 FEL	32	NWSE	080S	180E	UTA	ML-22058		OW
N 4304732077	FEDERAL 12-34	WR	4845° KB	1571 FNL 0375 FWL	34	SWNW	080S	180E	UTA	U-51081		OW
N 4304732702	FEDERAL 42-35	WR	4815° GR	1955 FNL 0463 FEL	35	SENE	080S	180E	UTA	U-51081		OW
N 4304732721	FEDERAL 43-35	WR	4870° GR	2077 FSL 0696 FEL	35	NESE	080S	180E	UTA	U-49430		OW
N 4304731345	GULF STATE 36-13	WR	4831° GR	1850 FSL 0600 FWL	36	NWSW	080S	180E	UTA	ML-22057		OW
N 4304731350	GULF STATE 36-11	WR	4837° GR	0677 FNL 0796 FWL	36	NWNW	080S	180E	UTA	ML-22057		OW
N 4304731864	GULF STATE 36-12	WR	4882° GR	1778 FNL 0782 FWL	36	SWNW	080S	180E	UTA	ML-22057		OW
N 4304731892	GULF STATE 36-22	WR	4923° GR	1860 FNL 1980 FWL	36	SENE	080S	180E	UTA	ML-22057		OW
N 4304732580	UTD STATE 36-K	WR	4809° GR	2120 FSL 1945 FWL	36	NESW	080S	180E	UTA	ML-22057		OW
N 4304732581	UTD STATE 36-M	WR	4744° KB	0848 FSL 0648 FWL	36	SWSW	080S	180E	UTA	ML-22057		OW
N 4304731415	WILDROSE FEDERAL 31-1	WR	4871° GR	2051 FSL 0683 FWL	31	NWSW	080S	190E	UTA	U-30103		OW
N 4301330642	MONUMENT BUTTE 1-3	WR	5156° GR	1945 FSL 0816 FWL	03	NWSW	090S	170E	DU	U-44004		OW
N 4301330810	MONUMENT BUTTE 2-3	WR	5107° GR	1918 FNL 1979 FWL	03	SENE	080S	170E	DU	U-44004		OW
N 4301331760	PINEHURST FEDERAL 3-7	WR	5096° GR	2062 FNL 1999 FEL	03	SWNE	080S	170E	DU	61252		OW
N 4301331761	PINEHURST FEDERAL 3-8	WR	5030° GR	1980 FNL 0660 FEL	03	SENE	090S	170E	DU	61252		OW
N 4301331764	RIVIERA FEDERAL 3-11	WR	5123° GR	2050 FSL 2008 FWL	03	NESW	080S	170E	DU	U-44004		OW
N 4301332183	RIVIERA FED 3-9	WR	5030 GR	1922 FSL 0606 FEL	03	NESE	090S	170E	DU	U-44004		OW
N 4301332184	RIVIERA FED 3-10	WR	5108 GR	2100 FSL 2190 FEL	03	NWSE	090S	170E	DU	U-44004		OW
N 4301331023	FEDERAL 15-1-B	WR	5177° GR	0660 FNL 1983 FEL	15	NWNE	090S	170E	DU	U-44429		OW
N 4304732777	BIRKDALE FED 13-34	WR	5067° GR	1768 FSL 0615 FWL	34	NWSW	080S	180E	UTA	U-68618		OW

END OF EXHIBIT

RECEIVED
APR 26 2004
DIV. OF OIL, GAS & MINING

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

4/15/2004

FROM: (Old Operator):	TO: (New Operator):
N9660-Wildrose Resources Corporation 3121 Cherryridge Road Englewood, CO 80110-6007 Phone: 1-(303) 761-9965	N5160-Inland Production Company 1401 17th St, Suite 1000 Denver, CO 80202 Phone: 1-(303) 893-0102

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
HARBOURTOWN FED 21-33	33	080S	170E	4301331914	✓ 12304	Federal	P	OW	
HARBOURTOWN FED 42-33	33	080S	170E	4301331915	✓ 12310	Federal	P	OW	
HARBOURTOWN FED 23-34	34	080S	170E	4301331916	✓ 12320	Federal	P	OW	C
HARBOURTOWN FED 44-34	34	080S	170E	4301331917	✓ 12321	Federal	P	OW	
FEDERAL #23-26	26	080S	180E	4304732080	✓ 11265	Federal	P	OW	
FEDERAL 24-26	26	080S	180E	4304732700	✓ 11808	Federal	P	OW	
FEDERAL 13-26	26	080S	180E	4304732720	✓ 11832	Federal	P	OW	
FEDERAL 12-26	26	080S	180E	4304732731	✓ 11896	Federal	P	GW	
FEDERAL 34-26	26	080S	180E	4304732847	✓ 12123	Federal	P	OW	
FEDERAL 43-27	27	080S	180E	4304732732	✓ 11903	Federal	S	OW	
FEDERAL 14-28	28	080S	180E	4304732733	✓ 11908	Federal	S	OW	
FEDERAL 13-28	28	080S	180E	4304732743	✓ 11915	Federal	TA	OW	
PARIETTE FED 10-29	29	080S	180E	4304731464	✓ 1428	Federal	P	OW	
W PARIETTE FED 6-29	29	080S	180E	4304731550	✓ 9905	Federal	S	OW	
FEDERAL 44-29	29	080S	180E	4304732079	✓ 11267	Federal	S	OW	
FEDERAL 43-29	29	080S	180E	4304732701	✓ 11816	Federal	P	OW	
FEDERAL 34-29	29	080S	180E	4304732742	✓ 11918	Federal	P	OW	
PARIETTE FED 32-29	29	080S	180E	4304732848	✓ 12144	Federal	P	OW	
FEDERAL 12-34	34	080S	180E	4304732077	✓ 11276	Federal	S	OW	
FEDERAL 42-35	35	080S	180E	4304732702	✓ 11811	Federal	S	OW	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/26/2004
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on 4/26/2004
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 12/10/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 755627-0143
5. If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: applied for

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 4/28/2004
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/28/2004
3. Bond information entered in RBDMS on: 4/28/2004
4. Fee wells attached to bond in RBDMS on: 4/28/2004
5. Injection Projects to new operator in RBDMS on: n/a
6. Receipt of Acceptance of Drilling Procedures for APD/New on: 4/28/2004

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 4021509 Wildrose

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT0056

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RN4471290
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 4/28/2004

COMMENTS:

EXHIBIT "A"
Attached to Sundry Notices

Wildrose Resources Corporation
and
Inland Production Company

Unit	API	Well	Comp.	Elev.	Loc.	S	1/4 1/4	Twp.	Rng	Co	Lease	Type
N	4304731528	REX LAMB 34-1	WR	4932* GR	2116 FNL 2132 FEL	34	SWNE	040S	010E	UTA	FEE	OW
N	4304731692	REX LAMB 34-2	WR	4932* GR	2018 FNL 1068 FEL	34	SENE	040S	010E	UTA	FEE	OW
N	4301331914	HARBOURTOWN FED 21-33	WR	5129* GR	0513 FNL 1938 FWL	33	NENW	080S	170E	DU	U-71368	OW
N	4301331915	HARBOURTOWN FED 42-33	WR	5128* GR	1954 FNL 0851 FEL	33	SENE	080S	170E	DU	U-71368	OW
N	4301331916	HARBOURTOWN FED 23-34	WR	5088* GR	1943 FSL 2162 FWL	34	NESW	080S	170E	DU	U-71368	OW
N	4301331917	HARBOURTOWN FED 44-34	WR	5063* GL	0835 FSL 0500 FEL	34	SESE	080S	170E	DU	U-71368	OW
N	4304732080	FEDERAL #23-26	WR	4910* KB	2113 FSL 1844 FWL	26	NESW	080S	180E	UTA	U-36442	OW
N	4304732700	FEDERAL 24-26	WR	4913* GR	0660 FSL 1980 FWL	26	SESW	080S	180E	UTA	U-36442	OW
N	4304732720	FEDERAL 13-26	WR	4905* GR	2018 FSL 0832 FWL	26	NWSW	080S	180E	UTA	U-36442	OW
N	4304732731	FEDERAL 12-26	WR	4924* GR	2956 FSL 0470 FWL	26	SWNW	080S	180E	UTA	U-36442	GW
N	4304732847	FEDERAL 34-26	WR	4907* GR	0741 FSL 1957 FEL	26	SWSE	080S	180E	UTA	U-75532	OW
N	4304732732	FEDERAL 43-27	WR	4862* GR	1917 FSL 0559 FEL	27	NESE	080S	180E	UTA	U-36442	OW
N	4304732733	FEDERAL 14-28	WR	4902* GR	0860 FSL 0846 FWL	28	SWSW	080S	180E	UTA	U-51081	OW
N	4304732743	FEDERAL 13-28	WR	4955* GR	2007 FSL 0704 FWL	28	NWSW	080S	180E	UTA	U-36442	OW
N	4304731464	PARIETTE FED 10-29	WR	4890* GR	1843 FSL 2084 FEL	29	NWSE	080S	180E	UTA	U-51081	OW
N	4304731550	W PARIETTE FED 6-29	WR	4892* GR	1978 FNL 2141 FWL	29	SENW	080S	180E	UTA	U-36846	OW
N	4304732079	FEDERAL 44-29	WR	4993* KB	0660 FSL 0660 FEL	29	SESE	080S	180E	UTA	U-51081	OW
N	4304732701	FEDERAL 43-29	WR	4886* GR	1904 FSL 0710 FEL	29	NESE	080S	180E	UTA	U-51081	OW
N	4304732742	FEDERAL 34-29	WR	4917* GR	0712 FSL 1925 FEL	29	SWSE	080S	180E	UTA	U-51081	OW
N	4304732848	PARIETTE FED 32-29	WR	4870* GR	1942 FNL 1786 FEL	29	SWNE	080S	180E	UTA	U-36846	OW
N	4304731116	NGC ST 33-32	WR	4930* GR	1914 FSL 1911 FEL	32	NWSE	080S	180E	UTA	ML-22058	OW
N	4304732077	FEDERAL 12-34	WR	4845* KB	1571 FNL 0375 FWL	34	SWNW	080S	180E	UTA	U-51081	OW
N	4304732702	FEDERAL 42-35	WR	4815* GR	1955 FNL 0463 FEL	35	SENE	080S	180E	UTA	U-51081	OW
N	4304732721	FEDERAL 43-35	WR	4870* GR	2077 FSL 0696 FEL	35	NESE	080S	180E	UTA	U-49430	OW
N	4304731345	GULF STATE 36-13	WR	4831* GR	1850 FSL 0600 FWL	36	NWSW	080S	180E	UTA	ML-22057	OW
N	4304731350	GULF STATE 36-11	WR	4837* GR	0677 FNL 0796 FWL	36	NWNW	080S	180E	UTA	ML-22057	OW
N	4304731864	GULF STATE 36-12	WR	4882* GR	1778 FNL 0782 FWL	36	SWNW	080S	180E	UTA	ML-22057	OW
N	4304731892	GULF STATE 36-22	WR	4923* GR	1860 FNL 1980 FWL	36	SENW	080S	180E	UTA	ML-22057	OW
N	4304732580	UTD STATE 36-K	WR	4809* GR	2120 FSL 1945 FWL	36	NESW	080S	180E	UTA	ML-22057	OW
N	4304732581	UTD STATE 36-M	WR	4744* KB	0848 FSL 0648 FWL	36	SWSW	080S	180E	UTA	ML-22057	OW
N	4304731415	WILDROSE FEDERAL 31-1	WR	4871* GR	2051 FSL 0683 FWL	31	NWSW	080S	190E	UTA	U-30103	OW
N	4301330642	MONUMENT BUTTE 1-3	WR	5156* GR	1945 FSL 0816 FWL	03	NWSW	090S	170E	DU	U-44004	OW
N	4301330810	MONUMENT BUTTE 2-3	WR	5107* GR	1918 FNL 1979 FWL	03	SENW	090S	170E	DU	U-44004	OW
N	4301331760	PINEHURST FEDERAL 3-7	WR	5096* GR	2062 FNL 1999 FEL	03	SWNE	090S	170E	DU	61252	OW
N	4301331761	PINEHURST FEDERAL 3-8	WR	5030* GR	1980 FNL 0660 FEL	03	SENE	090S	170E	DU	61252	OW
N	4301331764	RIVIERA FEDERAL 3-11	WR	5123* GR	2050 FSL 2008 FWL	03	NESW	090S	170E	DU	U-44004	OW
N	4301332183	RIVIERA FED 3-9	WR	5030 GR	1922 FSL 0605 FEL	03	NESE	090S	170E	DU	U-44004	OW
N	4301332184	RIVIERA FED 3-10	WR	5108 GR	2100 FSL 2190 FEL	03	NWSE	090S	170E	DU	U-44004	OW
N	4301331023	FEDERAL 15-1-B	WR	5177* GR	0660 FNL 1983 FEL	15	NWNE	090S	170E	DU	U-44429	OW
N	4304732777	BIRKDALE FED 13-34	WR	5067* GR	1768 FSL 0615 FWL	34	NWSW	090S	180E	UTA	U-68618	OW

END OF EXHIBIT

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas well ☐ Other

2. Name of Operator

INLAND PRODUCTION COMPANY

3. Address and Telephone No.

1401 17TH STREET, SUITE 1000, DENVER, CO 80202 (303)893-0102

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

See Attached Exhibit

6. If Indian, Allottee or Tribe Name

7. If unit or CA, Agreement Designation

8. Well Name and No.

See Attached Exhibit

9. API Well No.

See Attached Exhibit

10. Field and Pool, or Exploratory Area

11. County or Parish, State

Uintah Co., Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
- ☐ Subsequent Report
- ☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
- ☐ Recompletion
- ☐ Plugging Back
- ☐ Casing repair
- ☐ Altering Casing
- ☒ Other Change of Operator
- ☐ Change of Plans
- ☐ New Construction
- ☐ Non-Routine Fracturing
- ☐ Water Shut-off
- ☐ Conversion to Injection
- ☐ Dispose Water

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

Effective 4/15/04, Inland Production Company, as Contract Operator, will take over operations of the attached referenced wells.
The previous operator was:

Wildrose Resources Corporation
3121 Cherryridge Road
Englewood, Colorado 80110-6007

Effective 4/15/04, Inland Production Company, as Contract Operator, is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under BLM Bond No. UT0056 issued by Hartford.

I hereby certify that the foregoing is true and correct. (Current Contract Operator)

Signed

Bill I. Pennington
Bill I. Pennington

Title

President, Inland Production Company

Date

4/15/04

(This space of Federal or State office use.)

Approved by

Karl F. Johnson

Title

Petroleum Engineer

Date

5/20/04

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly to make to any department of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office

170 South 500 East

Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410
<http://www.blm.gov/utah/vernal>



IN REPLY REFER TO:

3162.3

UT08300

May 21, 2004

Bill I. Pennington
Inland Production Company
1401 17th Street, Suite 1000
Denver, Colorado 80202

Re: Wells: Federal 12-26,
SWNW, Sec. 26, T8S, R18E
Federal 13-26,
NWSW, Sec. 26, T8S, R18E
Federal 23-26,
NESW, Sec. 26, T8S, R18E
Federal 24-26,
SESW, Sec. 26, T8S, R18E
Federal 43-27,
NESE, Sec. 27, T8S, R18E
Federal 13-28,
NWSW, Sec. 28, T8S, R18E
Uintah County, Utah
Lease No. U-36442

Dear Mr. Pennington:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced wells. After a review by this office, the change in operator request is approved. Effective immediately, Inland Production Company is responsible for all operations performed on the referenced wells. All liability will now fall under your bond, BLM Bond No. UT0056, for all operations conducted on the referenced wells on the leased land.

Our records show that a right-of-way, UTU-65194, has been issued for the off lease portion of the pipeline for the Federal 23-26 well. In order for Inland Production Company to obtain the Bureau of Land Management's approval for the use of this right-of-way, you must have this right-of-way assigned over to Inland Production Company. Please contact Cindy McKee at 435-781-4434 for instructions on how to complete the assignment of the right-of-way.

If you have any other questions concerning this matter, please contact Leslie Walker of this office at (435) 781-4497.

Sincerely,

Kirk Fleetwood
Petroleum Engineer

cc: UDOGM
Wildrose Resources Corp.

RECEIVED
MAY 27 2004
DIV. OF OIL, GAS & MINING



Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company
Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.



A handwritten signature in black ink, appearing to read "G. Connor".

Secretary of State

ARTICLES OF AMENDMENT
TO THE
ARTICLES OF INCORPORATION
OF
INLAND PRODUCTION COMPANY

FILED
In the Office of the
Secretary of State of Texas
SEP 02 2004
Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 – Name

The name of the corporation is Inland Production Company.

ARTICLE 2 – Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE – The name of the corporation is Newfield Production Company."

ARTICLE 3 – Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs
Susan G. Riggs, Treasurer



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>



IN REPLY REFER TO:
3106
(UT-924)

September 16, 2004

Memorandum

To: Vernal Field Office

From: Acting Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Michael Coulthard
Acting Chief, Branch of
Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare

UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change**Merger**

The operator of the well(s) listed below has changed, effective:

9/1/2004

FROM: (Old Operator):

N5160-Inland Production Company

Route 3 Box 3630

Myton, UT 84052

Phone: 1-(435) 646-3721

TO: (New Operator):

N2695-Newfield Production Company

Route 3 Box 3630

Myton, UT 84052

Phone: 1-(435) 646-3721

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	
REX LAMB 34-1	34	040S	010E	4304731528	9690	Fee	OW	P	
REX LAMB 34-2	34	040S	010E	4304731692	9691	Fee	OW	P	
MONUMENT FED 13-25	25	080S	170E	4304732527	11835	Federal	NA	PA	K
FEDERAL #23-26	26	080S	180E	4304732080	11265	Federal	OW	P	
PARIETTE FED 10-29	29	080S	180E	4304731464	1428	Federal	OW	P	
W PARIETTE FED 6-29	29	080S	180E	4304731550	10975	Federal	OW	P	
FEDERAL 44-29	29	080S	180E	4304732079	11267	Federal	OW	S	
STATE 31-32	32	080S	180E	4304732500	11645	State	OW	S	
FEDERAL 12-34	34	080S	180E	4304732077	11276	Federal	OW	S	
GULF STATE 36-12	36	080S	180E	4304731864	11002	State	OW	S	
GULF STATE 36-22	36	080S	180E	4304731892	11095	State	OW	P	
UTD STATE 36-K	36	080S	180E	4304732580	11752	State	OW	S	
UTD STATE 36-M	36	080S	180E	4304732581	11749	State	OW	S	
WILDROSE FEDERAL 31-1	31	080S	190E	4304731415	9535	Federal	OW	TA	
FEDERAL 44-14Y	14	090S	170E	4304732438	11506	Federal	OW	P	
21BALCRON FED 31-5Y	05	090S	180E	4304732503	11680	Federal	OW	S	
FEDERAL 15-8-9-18	08	090S	180E	4304731547	10275	Federal	OW	S	
BALCRON FED 41-19Y	19	090S	180E	4304732504	11651	Federal	OW	P	
UTD CHASEL 24-14	24	090S	180E	4304732566	11798	Federal	OW	S	
FEDERAL 41-29	29	090S	180E	4304732495	11646	Federal	OW	S	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/15/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/15/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/23/2005

4. Is the new operator registered in the State of Utah: YES Business Number: 755627-0143

5. If NO, the operator was contacted contacted on:

6a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
6b. Inspections of LA PA state/fee well sites complete on: waived

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: na/

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 2/23/2005

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 2/28/2005
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 2/28/2005
3. Bond information entered in RBDMS on: 2/28/2005
4. Fee/State wells attached to bond in RBDMS on: 2/28/2005
5. Injection Projects to new operator in RBDMS on: 2/28/2005
6. Receipt of Acceptance of Drilling Procedures for APD/New on: waived

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT 0056

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 61BSBDH2912

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 61BSBDH2919
2. The **FORMER** operator has requested a release of liability from their bond on: n/a*
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

*Bond rider changed operator name from Inland Production Company to Newfield Production Company - received 2/23/05